



PRODUCTS 2024

LOBA – Your partner for surface finishing and care

Inspire your customers with
perfectly finished wood
surfaces – discover now the
unique solutions from LOBA!



Contents

HARDWOOD FLOORS

Joint Fillers	13
Primers & Stain	15-17
List of Wood Species for Primers & Finish Systems	18
Application Tools for Primers & Finish Systems	19
1K Finishes	21
2K Finishes	22-23
Additives	24-25
UV Finish	26
Special Products	27
High Solid Oils, Waxes & Stain	29-32
Hard Wax Oils	33-35
List of Wood Species for Oil & Wax Systems	36
Application Tools for Oil & Wax Systems	37

SPORTS FLOORING

Finishes	39
Cleaning & Care	40

RESILIENT FLOORING

Finish	43
--------	----

TROWELLED FLOORING

Primer / Finish	45
-----------------	----

OUTDOORS

Preparation & Finishes	47
Oils	48
Cleaning & Care	49

CLEANING & CARE

Maintenance Cleaning	51
Finished Floors	52-53
Oiled / Waxed Floors	54-55

HOME

Cleaning & Care for the Home	57-59
------------------------------	-------

ABRASIVES & PADS

Sanding Recommendations	61
Ceramic	62
Zircon	63
Aluminum Oxide	64
Other Abrasives & Pads	65

TOOLS & ACCESSORIES

Application Tools	67-68
Range of Use - Rollers	69
Accessories	70-71
Joint Sealer & Repair	72

Use our download area:

- Set-up recommendations
- Technical information
- Application videos

→ www.loba.de/int_en/downloads



@loba_on_top



LOBA On Top



lobaontop1922

www.loba.de

LOBA On Top!

LOBA loves beautiful floors. As a family-run company with a tradition spanning a century, we offer you modern products for the creation, finishing and maintenance of surfaces made of wood and cork, as well as resilient and mineral floorings. LOBA attaches the highest value to user-friendly, safe and sustainable products. Out of responsibility towards people and nature, we have long focused on the development of environmentally compatible, solvent-free systems – for a living environment that makes us all feel good.



You can find all of LOBA's milestones since 1922 here.

ORANGE ZONE

The inaugural issue of the LOBA customer magazine, ORANGE ZONE, will be published in April. Informative and practical, this German-English bilingual magazine provides added value in the areas of news, technology, and service."

2023

100 YEARS LOBA

"Creating the future together" – LOBA celebrates 100 years of technical excellence and innovation, passion, and outstanding service.

LOBA On Top! Produced in Germany – made for the world.

2022

NEW GROUND

Cool, individual, timeless – minimal industrial style through an exposed concrete look: Market launch of the Factory Line, LOBA's first water-based finish system for leveling compounds.

INVISIBLE SURFACE PROTECTION

Market launch of the invisible water-based surface protection 2K InvisibleProtect. Thanks to its innovative technology, it achieves a look and feel that appears even more natural than raw wood.

2015

INVESTMENT IN THE FUTURE

The new logistics and training center in Ditzingen, Germany is opened.

2006

PARTNERSHIP WITH WAKOL

FOUNDING

On April 13, 1922, Wilhelm Hornung and Dr. Max Fischer found Vereinigte Wachswarenfabriken AG Hornung und Dr. Fischer in Ditzingen, near Stuttgart, Germany.

1995

INNOVATION

With the introduction of the legendary WS 2K 95, the world's first water-based 2K hardwood floor finish system, LOBA sets a new standard in the industry.

1922

The product range includes floor stains, floor cleaners, floor polish, ski wax, shoe polish, leather grease, and household candles. Already in September 1922, 20 candle machines produce 85 tons of household candles.

MILESTONES





Excellent! Sustainability at LOBA

When it comes to sustainability, LOBA solutions are the perfect companion for every step of the process – not just for new-builds, but also and especially in refurbishment projects. At the company level as well, we've set ourselves some lofty goals.

REFURBISH INSTEAD OF USING NEW

Convince your customers to give hardwood flooring a second chance! Old flooring, when restored to a high standard, is often a beautiful alternative to new flooring. It also tells a story, and not infrequently turns out to be the more economical solution. By far, however, it's the more sustainable option: Renovating a hardwood floor conserves resources and is environmentally friendly. It also avoids waste and produces less CO₂ than a complete replacement.

PRODUCTS INSPIRED BY SUSTAINABILITY

As part of our traditional role as a pioneer in the development of water-based 2K finishes, sustainable formulas can be found throughout the range of LOBA finishing products – out of responsibility towards our customers, end users and employees. Numerous labels, such as the coveted GEV-EMICODE®, the French "Emissions dans l'air intérieur" seal, or the Scandinavian "M1" mark, bear testimony to our commitment that extends far beyond national borders.

SUSTAINABLE AND FAIR: OUR DELIVERY PROCESSES


To make sure our suppliers meet our rigorous standards, they agree to our code of conduct, which requires them to understand, follow, and champion our values and principles in environmental protection, social responsibility, and governance. As part of this commitment, we have also dedicated ourselves the United Nations' Sustainable Development Goals.

ISO-CERTIFIED QUALITY AND ENVIRONMENTAL MANAGEMENT

LOBA has been DEKRA-certified since 2011 as compliant with ISO 9001 and ISO 14001. These certificates stand for high standards in quality and environmental management and confirm the ongoing improvement of our performance in terms of process, product and service quality as well as environmental protection. As a result, we operate a solid business with long-term personnel planning – and 100% of our electricity comes from green energy sources.



Mitglied der
DGNB
Deutsche Gesellschaft für Nachhaltiges Bauen
German Sustainable Building Council



A STRONG CONNECTION FOR YOUR SUCCESS

Connected Systems
Perfect results
for your projects

Your benefits with LOBA WAKOL Connected Systems

- Perfectly coordinated products
- Maximum safety during application
- Successful handling in a tried-and-tested, guaranteed system
- Exclusion of interactions between oils / finishes and adhesives
- Avoidance of dark run-ins at short end joints
- Avoidance of dark joints, since there is no softening of the finish layer
- Long-term quality assurance through regular tests in the event of formula adjustments

We care about your success!

		WAKOL																		
		1K ADHESIVES												2K ADHESIVES						
		D 1640	D 1690	MS 228	MS 230	MS 232	MS 260	MS 261	MS 262	MS 265	MS 269	MS 290	MS 292	PU 385	PU 210	PU 215	PU 216	PU 220	PU 225	
LOBA FINISHES	1K FINISH	EasyFinish	✓	✓				✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
		Viva	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Life	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
LOBA FINISHES	2K FINISH	2K InvisibleProtect	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
		2K Supra A.T.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		2K Duo	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		2K Fusion	✓	✓				✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓
LOBA OILS & WAXES		2K ImpactOil	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
		2K ImpactOil Color	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓
		Akzent 100 Oil	✓	✓				✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓
		HardwaxOil EcoPlus	✓	✓				✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓
		Markant	✓	✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		HardwaxOil	✓	✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		MarkantColor	✓	✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		HardwaxOil Nature	✓	✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

		WAKOL		
		LEVELLING COMPOUND		
		Z 610	Z 615	Z 625
LOBA	FINISH SYSTEM	FactoryBase and 2K FactoryStyle		
	OIL / WAX SYSTEM	2K ImpactOil and Akzent 100 Wax		
		✓	✓	✓
		✓	✓	✓

New look, same quality!



**MORE INFORMATION,
MORE ORIENTATION**

Get your goal even faster –
with the new LOBA labels.



The key facts at a glance

The new, user-friendly LOBA label design now makes it even easier for you to find the right product.

- Clear presentation of product features
- Background images show the range of use
- Color coding system for better differentiation of product types

THE EASY WAY TO THE RIGHT PRODUCT

The label for LOBA 2K Duo is shown with the following features highlighted by callouts:

- Product set-up:** 1 FUGENFILLER, 2 GRUNDIERUNG PRIMER, 3 VERSIEGELUNG FINISH
- Product name:** 2K Duo
- Gloss level:** GLÄNZEND | GLOSS, HALBMATT | SEMI-GLOSS, MATT | SATIN, EXTRAMATT | EXTRA MATTE
- Special feature:** 2K Polyurethan Parkettlack auf Wasserbasis. Water-based 2-component polyurethane finish for wooden floors.
- Mass / hardener assignment:** 2 KOMPONENTEN COMPONENTS, A1 (ANCHER), B1 (HÄRDER)
- Stress level:** Beanspruchung | Stress level scale from 1 to 5.
- Seals:** Various certification logos at the bottom including ECT, M1, U, and others.
- More info at loba.de:** QR code and website information.
- Range of use:** Background image of a wooden floor.
- Color coding system:** The blue background of the label.

THE RANGE OF USE




Indoor | Wood | Preparation



Indoor | Wood | Finish systems



Indoor | Wood | Sport



Indoor | Wood | Oil and wax systems



Indoor | Trowelled floor



Indoor | Resilient



Indoor | Resilient | Sport



Outdoor

THE NEW COLOR CODING SYSTEM



Preparation



Priming



Finishing



Oiling & Waxing



Cleaning & Care





LOBA loves hardwood floors

With LOBA premium systems, you can finish and protect hardwood floors in first-class quality.

Our finishing products and oils offer ideal protection against dirt, wear, chemicals, and moisture and are perfect for finishing hardwood floors and cork. Solutions from LOBA are not only extremely robust and durable; they also offer an attractive appearance that accentuates the hardwood floor's natural charm.



Preparation is everything

With our water-based joint fillers, even large joints in hardwood flooring can be filled beautifully and small imperfections touched up, thereby resulting in the perfect color match, even on exotic wood.

Regardless of whether the surface of the hardwood floor is treated with impregnating oil, hardwax oil or finish, with LOBA fillers for your floor covering, you're ready for any challenge.



EasyFill

Water-based binder.

- Easy to work with
- Closes even wider joints by one-time application
- No subsiding of the filler in the joint
- Very fast drying
- Excellent sandability; clearly visible and low adhesion on sanding paper
- Excellent color scheme for oiled and finished surfaces
- Applicable to all common European and exotic wood types
- Odor neutral

ART.-NO.				GISCODE
11039-000000	11/5l	12/4	480/128	W2+

APPLICATION DEVICE

Trowel

ml/m²

100

Wood



VivaFill

Water-based binder.

- Extremely economical to use
- Odor neutral
- Rapid drying
- Easy and safe application
- Low VOC content
- Very low emission, certified to EMICODE® EC1

ART.-NO.				GISCODE
11511-000000	5l	4	128	W2+

APPLICATION DEVICE

Trowel

ml/m²

50

Wood



Fugenkittlösung

Solvent-based binder.

- Rapid drying
- Excellent sanding properties
- Exceptional color fidelity even with exotic wood species
- Prevents finish shrinkage

ART.-NO.				GISCODE
11085-100000	5l/12l	4/-	120/42	G2


APPLICATION DEVICE

Trowel

ml/m²

100

Wood



Primers for maximum adhesion

Play it safe and prepare hardwood flooring with water-based primers from LOBA. These not only improve the adhesion on the surface, but also seal in timber constituents and reduce the risk of side bonding and lap marks. LOBA primers, depending on the selection, can be used on European and exotic hardwoods, as well as in gyms and multi-purpose halls. If you want to color and subsequently finish hardwood flooring, you can create color accents with a special pre-treatment in order to produce a customized room setting.



EasyPrime


Polyurethane-acrylate water-based primer for roller and trowel application for hardwood floors.

- Used on millions of m² worldwide every year
- All-rounder offering maximum processing reliability
- Premium quality at a fair price
- Reduces side bonding
- Suitable for use with practically all European and exotic woods, as well as in sports and multipurpose halls

ART.-NO.				GISCODE
11036-900000	1l/5l/10l	12/4/-	480/128/60	W3+

APPLICATION DEVICE	ml/m ²
Universal 100 roller	100 - 120
Microfibre 100 - 120 roller	100 - 120
Trowel (2 in a cross-wise pattern)	40 - 60

Wood



VivaPrime

Acrylate water-based primer for roller and trowel application.

- Reduces side bonding
- Suitable for renovation and new installation
- Good price/performance ratio
- Easy and safe application

ART.-NO.				GISCODE
11518-000000	5l/10l	4/-	128/60	W2+

APPLICATION DEVICE	ml/m ²
Universal 100 roller	100 - 120
Microfibre 100 - 120 roller	100 - 120
Trowel (2 in a cross-wise pattern)	40 - 60

Wood



PrimaSeal Plus

Alcohol-based primer for hardwood floors.

- Easy and safe application
- Excellent blocking of wood ingredients and old contamination
- Intensifies the color of the wood
- Good price/performance ratio

ART.-NO.				GISCODE
11033-600000	5l	4	128	G1

APPLICATION DEVICE	ml/m ²
Universal 100 roller	100 - 120

Wood



2K Intensive

High-Solid 2-component oil-based primer for hardwood floors.

- Significant deepening of the wood color
- Cobalt and butanoxime-free
- Combines oiled look with the advantages of finished surfaces
- Easy and safe application
- No roughening of the wood
- No side-bonding effect

APPLICATION DEVICE

Microfibre 60 - 80 oil roller

g/m²

20 - 40

Wood



ART.-NO.	VARIANT				GISCODE
11053-000000	transparent	600 g/2.5 kg	4	320/120	Ö40/DD+



2K Intensive Color

Colored 2-component High-Solid oil-based primer for hardwood floors.

- All variants can be mixed with each other
- Cobalt and butanoxime-free
- Easy and safe application
- Versatile design options
- No roughening of the wood
- No side-bonding effect

APPLICATION DEVICE

Microfibre 60 - 80 oil roller

g/m²


20 - 40

Wood




ART.-NO.	VARIANT				GISCODE
11053-...	various colors	2.5 kg	4	120	Ö40/DD+


All colors are also available in sample cans.




700152
Classic Grey




900153
Country
White




900152
Ebony




800208
Golden Oak



700153
Gunstock




800210
Jacobean




800213
Mesquite Red




800209
Provincial




800214
Sedona Red



800211
Special
Walnut



800212
Weathered
Oak



900127
Chalk

Color samples are not binding



ProColor

Stain for hardwood floor based on solvents.

- Versatile design options
- Easy and safe application
- All variants can be mixed with each other
- Variety of possible combinations

APPLICATION DEVICE

Trowel
Microfibre 60 - 80 oil
roller as a wiper

ml/m²

30 - 50


Wood

U


U

ART.-NO.	VARIANT				GISCODE
11012-...	various colors	750 ml	12	432	G1


All colors are also available in sample cans.




000000
Transparent




800147
Jatoba




800145
Kambala




800099
Mahogany




700133
Papyrus




800132
Smoked oak




900005
Black



800149
Sucupira



800150
Wenge



900126
White

Color samples are not binding



Tools and accessories – only
the best for professionals!

See page 66

List of Wood Species for Primers & Finish Systems

1. European wood species

Wood type	2K Intensive	EasyPrime		VivaPrime		PrimaSeal Plus	2K Invisible Protect*	Life*
		Rolled	Troweled	Rolled	Troweled			
Maple	+	+	+	+	+	+	+	+
Acacia / Robinia	+	◇	-	◇	-	+	◇	◇
Acacia / steam-treated Robinia	+	◇	-	◇	-	+	◇	◇
Birch	+	+	+	+	+	+	+	+
Pear tree	◇	-	-	-	-	-	-	-
Steam-treated beech	+	+	-	◇	-	+	◇	◇
Beech	+	+	+	+	+	+	+	+
Oak	+	+	+	+	+	+	+	+
Alder	+	+	◇	+	◇	+	+	+
Ash	+	+	+	+	+	+	+	+
Spruce	+	+	+	+	+	+	+	+
Chestnut	+	+	◇	+	◇	+	+	+
Pine	+	+	-	+	-	+	+	+
Cherry	+	+	-	◇	-	+	◇	◇
Larch	+	◇	-	◇	-	+	◇	◇
Walnut	+	+	-	◇	-	+	◇	◇
Olive	+	+	-	◇	-	+	◇	◇
Smoked oak	+	◇	-	◇	-	◇	◇	◇
Red oak	+	+	+	+	+	+	+	+
Elm	+	+	◇	◇	◇	+	◇	◇

2. Exotic wood species

Afrormosia	+	+	-	◇	-	+	◇	◇
Arrura Vermelho	+	-	-	-	-	+	-	-
Bamboo	-	+	-	+	-	+	+	+
Steam-treated bamboo	-	+	-	◇	-	+	◇	◇
Bilinga	+	+	-	◇	-	+	◇	◇
Basra locus	+	+	-	◇	-	+	◇	◇
Cabreuva	+	+	-	◇	-	+	◇	◇
Steam-treated coigue	+	+	-	◇	-	+	◇	◇
Cumaru / almendrillo	+	+	-	◇	-	+	◇	◇
Curupau	+	+	-	◇	-	+	◇	◇
Doussie / afzelia	+	◇	-	◇	-	+	◇	◇
Ebony / macassar	-	+	-	◇	-	+	◇	◇
Eucalyptus / spotted gum	+	+	-	◇	-	+	◇	◇
Eucalyptus / jarrah	+	+	-	◇	-	+	◇	◇
Guatambu	+	+	-	◇	-	+	◇	◇
Hevea	+	+	-	+	-	+	+	+
Incienso Colorado	+	+	-	◇	-	+	◇	◇
Ipe / lapacho	◇	◇	-	◇	-	◇	◇	◇
Iroko / kambala	-	-	-	-	-	◇	-	-
Iron wood	+	+	-	◇	-	+	◇	◇
Jatoba / Brazilian cherry	+	◇	-	◇	-	+	◇	◇
Kempas	-	◇	-	◇	-	+	◇	◇
Coconut	+	+	-	◇	-	+	◇	◇
Kotibe	+	+	-	◇	-	+	◇	◇
Mahogany	+	+	-	◇	-	+	◇	◇
Massaranduba	+	+	-	◇	-	+	◇	◇
Mecrusse	+	◇	-	◇	-	+	◇	◇
Merbau	+	◇	-	◇	-	+	◇	◇
Muhuhu	+	-	-	-	-	+	-	-
Mutenye	+	+	-	◇	-	+	◇	◇
Padouk	+	+	-	◇	-	+	◇	◇
Panga Panga	+	+	-	◇	-	+	◇	◇
Palisander	-	+	-	◇	-	+	◇	◇
Piguia Marfin	+	-	-	-	-	+	-	-
Pitch pine (old floors)	+	+	-	+	-	+	+	+
Hard pine (pitch pine new)	+	+	-	◇	-	+	◇	◇
Purpleheart	+	-	-	-	-	+	-	-
Sucupira	+	+	-	◇	-	+	◇	◇
Tasmanian oak	+	+	+	+	+	+	+	+
Tauari	+	+	-	+	-	+	+	+
Teak	+	+	-	◇	-	+	◇	◇
Tigerwood	+	+	-	◇	-	+	◇	◇
Wenge	+	+	-	◇	-	+	◇	◇
Yvyro	+	+	-	◇	-	+	◇	◇
Cypress	+	+	-	◇	-	+	◇	◇

3. Other substrates

Multiplex	◇	-	+	◇	+	◇	◇	◇
OSB plates	◇	-	+	◇	+	◇	◇	◇
V100 chipboards	◇	-	+	◇	+	◇	◇	◇

+ = Can be used without restrictions

◇ = Use may lead to problems.
We recommend consulting LOBA

- = Use not recommended

* Can be used in set-up without primer

Application Tools for Primers & Finish Systems



		OIL ROLLER	FINISH ROLLER		
		Micro 60 - 80	Micro 100 - 120	Universal 100	Deluxe 120
		ART.-NO. 16236-1	ART.-NO. 16236	ART.-NO. 16233	ART.-NO. 16234
	EasyPrime	–	✓	✓	–
	VivaPrime	–	✓	✓	–
	PrimaSeal Plus	–	–	✓	–
	2K Intensive	✓	–	–	–
	ProColor	✓*	–	–	–
	FactoryBase	–	✓	✓	–
	EasyFinish	–	✓	–	✓
	Viva	–	✓	–	✓
	Life	–	✓	–	✓
	2K InvisibleProtect	–	–	–	✓
	2K Supra A.T.	–	✓	–	✓
	2K Duo	–	✓	–	✓
	2K Fusion	–	✓	–	✓
	Rush	–	–	✓	–

✓ = Can be used without restrictions
 – = Use not recommended
 * = Observe technical information

Use our download area

- Set-up recommendations
- Technical information
- Application videos



→ www.loba.de/int_en/downloads

Consumption calculator

Your handy helper for quickly calculating how much you need can be found at www.loba.de/int_en/services and on every product page.



A close-up photograph of a paint roller being lifted from a light-colored wooden floor. The roller is covered in a thick, white, water-based finish, which is dripping down in several streams. The background is slightly blurred, showing a person's legs in dark clothing. The overall scene is brightly lit, emphasizing the texture of the wood and the viscosity of the finish.

Water-based finishes – sustainable and easy to work with

Professionally laid floors maintain their perfect appearance with the right finishing. The right finishing also ensures ideal protection against dirt, wear, chemicals and moisture across the whole surface and for a long time. Whether you want to finish a hardwood floor or make cork flooring water-resistant – LOBA offers you water-based premium systems for every area of application.



EasyFinish

Water-based 1-component finish for hardwood floors.

- Easy 1K system combined with 2K performance
- Outstanding application qualities – easy to use and safe, no lap marks
- Very low emission, certified to EMICODE® EC1
- Suitable for almost all wood species as well as cork
- EasyFinish semi-gloss combined with LOBA SportCare meets the requirements for friction according to DIN 18032 for sports floors
- Long-lasting beauty of the floor – high resistance to mechanical wear and household chemicals

ART.-NO.	VARIANT				GISCODE
11517-000003	satin	1l/5l	12/4	480/128	W3+
11517-000001	semi-gloss	1l/5l/10l	12/4/-	480/128/60	
11517-000002	gloss	5l	4	128	

APPLICATION DEVICE

Deluxe 120 roller	ml/m² 100 - 120
Microfibre 100 - 120 roller	

Stress level



Wood | Cork



1) semi-gloss



Viva

Water-based 1-component finish for hardwood floors.

- Excellent chemical and abrasion resistance
- Very good resistance to black heel marks
- Powerful resistance to plasticisers from hardwood floor adhesives
- Easy and safe application, no lap marks
- Full "Connected Systems" approval
- Low VOC content
- Very low emission, certified to EMICODE® EC1

ART.-NO.	VARIANT				GISCODE
11519-100003	satin	5l/10l	4/-	128/60	W2+
11519-100001	semi-gloss	1l/5l/10l	12/4/-	480/128/60	

APPLICATION DEVICE

Deluxe 120 roller	ml/m² 100 - 120
Microfibre 100 - 120 roller	

Stress level



Wood



Life

Water-based 1-component finish for hardwood floors.

- Good price/performance ratio
- Balanced properties
- High filling capacity
- Easy and safe application

ART.-NO.	VARIANT				GISCODE
11524-900003	satin	5l/10l	4/-	128/60	W2+
11524-900001	semi-gloss	5l/10l	4/-	128/60	
11524-900002	gloss	5l	4	128	

APPLICATION DEVICE

Deluxe 120 roller	ml/m² 100 - 120
Microfibre 100 - 120 roller	

Stress level



Wood





2K InvisibleProtect

New-generation, water-based surface protection for parquet and hardwood floors.

- Natural structure and feel like untreated hardwood flooring
- 2-coat system without primer
- Very low emission, certified to EMICODE® EC1 Plus
- Certified anti-slip properties as per DIN EN 16165:2021-12 for work areas
- No polishing effect
- Excellent chemical resistance
- As easy to clean as finished surfaces
- No grain accentuation, the original color of the wood remains as it was in its original state

ART.-NO.				GISCODE
11474-000005	1 kg/5 kg	6/2	360/96	W2/DD+

APPLICATION DEVICE

Deluxe 120 roller



110 - 130

Stress level



Residential Commercial Extreme

Wood | Cork



U



EMICODE EC1



GREENLAB



CONNECTED SYSTEMS



GREENLAB



GREENLAB



M1



R10



A+



2K InvisibleProtect and Whitener
for a Scandinavian appearance

See page 25



2K Supra A.T.

Ceramic-reinforced water-based 2-component polyurethane finish for hardwood floors.

- Fully usable after 12 hours
- Sets new standards in quality
- Meets highest demands
- Extremely high scratch resistance thanks to ceramic components
- Qualified for various floorings

ART.-NO.	VARIANT				GISCODE
11465-000003	satin	5 kg	2	96	W3/DD+
11465-000001	semi-gloss	5 kg	2	96	

APPLICATION DEVICE

Deluxe 120 roller

Microfibre 100 - 120 roller

g/m²

100 - 120

Stress level



Wood | Cork



1) satin



2K Duo

Water-based 2-component polyurethane finish for hardwood floors.

- Easy and safe application
- Very low emission, certified to EMICODE® EC1 Plus
- Qualified for various floorings
- Excellent wear resistance
- Excellent chemical resistance
- Certified anti-slip properties as per DIN EN 16165:2021-12 for work areas

ART.-NO.	VARIANT				GISCODE
11466-900004	extra matte	5 kg	2	96	W3/DD+
11466-900003	satin	1 kg/5 kg	6/2	360/96	W2/DD+
11466-900001	semi-gloss	1 kg/5 kg	6/2	360/96	
11466-900002	gloss	5 kg	2	96	W3/DD+

APPLICATION DEVICE

Deluxe 120 roller

Microfibre 100 - 120 roller


g/m²

100 - 120

Stress level



Wood | Cork



1) satin, semi-gloss



2K Fusion

Water-based 2-component polyurethane finish for hardwood floors.

- Easy and safe application
- Excellent wear resistance
- Good price/performance ratio
- Certified anti-slip properties as per DIN EN 16165:2021-12 for work areas

ART.-NO.	VARIANT				GISCODE
11471-000003	satin	5 kg	2	96	W3/DD+
11471-000001	semi-gloss	5 kg	2	96	

APPLICATION DEVICE

Deluxe 120 roller

Microfibre 100 - 120 roller

g/m²

100 - 120

Stress level



Wood | Cork







SlipResist

Additive to improve the anti-slip properties.

- Certified slip resistance
- Additive has no negative effects on the soiling behavior
- Water-based technology, solvent-free
- Simple and safe application
- Simplified storage



ART.-NO.		
11018-000000	100 g	15



K-Kampus, Kesko
Helsinki, Finland

© Mika Huisman/Decopic
<https://www.kesko.fi/en/>
Produkt: 2KInvisibleProtect



Whitener

Additive for brightening wood surfaces.

- Creates a smooth brightening of the wood surface
- Intensifies the whitening effect of white colored surfaces
- Variable control of brightening intensity
- May be combined with all water-based primers and finishes from LOBA
- Reduces the natural yellowing of the wood
- Provides individual design options
- Water-based technology, solvent-free
- Simple and safe application

ART.-NO.			GISCODE
11540-900126	80 ml	15	W1



Amberizer

Additive to achieve a color intensification of wood surfaces.

- May be combined with all water-based primers and finishes from LOBA
- Adjustment of newly finished surfaces to solvent-containing finished existing surfaces
- Water-based technology, solvent-free
- Simple and safe application

ART.-NO.			GISCODE
11540-800217	100 ml	15	W1



UV-Protect

Prevents the UV-light induced yellowing of light colored wood species.

- Original appearance of the wood is preserved long-term
- Can be used for all water-based LOBA finishes
- Innovation by LOBA

ART.-NO.		
11017-000000	100 ml	15



Argo

Additive to prolong the drying time.

- Reduces the risk of lap marks
- Finish film properties are unchanged

ART.-NO.		
11015-000000	250 ml	12



Rush

UV-curing 1-component water-based polyurethane finish for hardwood floors.

- Sets new standards in quality
- Meets highest demands
- Long durability
- Robust surface
- No waiting time until use

ART.-NO.	VARIANT			GISCODE
11611-000003	satin	10l	60	W2+

APPLICATION DEVICE

Universal 100 roller


g/m²

100

Stress level



Wood



Maximum environmentally friendly and ultra-fast:
UV on-site wood floor finish

Our water-based, low-emission and scratch-resistant solution when time is short.



2K Contact

Water-based 2-component adhesive primer.

- Recommended by leading industrial wood floor manufacturers
- Extremely economical to use
- Enables dust-free renovation
- Original appearance remains preserved during restoration
- Time and cost saving

ART.-NO.				GISCODE
11520-000000	750 g	4	384	W3/DD+

APPLICATION DEVICE		g/m²
TrimPad Applicator		10
Trowel		
Wood		



TopGel

Water-based polyurethane-acrylate trowel finish.

- Prepares the surface for the last coat
- Visually fuller surface
- Extremely economical to use

ART.-NO.				GISCODE
11455-000000	4 kg	4	84	W3+

APPLICATION DEVICE	
Trowel	20
Wood	
 Ü Loba, LobaGel, LobaGel+ Klebstoffe für Holz- und Holzwerkstoff- böden	

Oils and waxes for naturally beautiful floors

Nothing brings out the naturalness and texture of hardwood flooring as beautifully as oil and wax. LOBA's first-class oil and wax systems perform this task sustainably. Based on natural raw materials, they impress with outstanding properties such as high wear resistance, a water- and dirt-repellent formula and excellent resistance to chemicals.





2K ImpactOil

2-component High Solid oil based on natural ingredients.

- Excellent water resistance for hardwood flooring in wet zones such as bathrooms or spa areas
- Time-saving processing in a 1-day system
- Extremely economical to use
- 100% solid – solvent-free
- Certified anti-slip properties as per DIN EN 16165:2021-12 for work areas
- Easy and safe application
- One roller application is sufficient
- Can be used after only 24 hours
- Suitable for children's toys as per EN 71-3

APPLICATION DEVICE

Microfibre 60 - 80 oil roller

g/m²

30 - 60

Wood | Trowelled floors



ART.-NO.	VARIANT				GISCODE
10610-000000	transparent	750 g/2.5 kg	4	400/120	Ö10/DD+



Project: Hotel Süllberg Karlheinz Hauser
Product: 2K ImpactOil



PreTone

Water-based pigment stain for hardwood floors.

- For significantly bolder colors
- Reduced oil-specific yellowing
- Easy and safe application
- Solvent-free
- Virtually limitless color combinations are possible
- Odor neutral

APPLICATION DEVICE

Microfibre 100 - 120 roller
as a wiper

Spray can and applicator

ml/m²

100 - 120


Wood

ART.-NO.	VARIANT				GISCODE
10612-...	various colors	2.5l	6	144	W1


All colors are also available in sample cans.




White




Black



Brown




Mocha



Steel

Color samples are not binding



Project: Castle Haslemere, United Kingdom
Product: 2K ImpactOil Color - various colors



2K ImpactOil Color

Colored High Solid oil based on natural ingredients.

- Excellent water resistance for hardwood flooring in wet zones such as bathrooms or spa areas
- Time-saving processing in a 1-day system
- Extremely economical to use
- 100% solid – solvent-free
- All variants can be mixed with each other
- Easy and safe application
- Certified anti-slip properties as per DIN EN 16165:2021-12 for work areas
- Suitable for children's toys as per EN 71-3

APPLICATION DEVICE

Trowel

g/m²

30 - 60

Wood



ART.-NO.	VARIANT				GISCODE
10610-...	various colors	750 g	4	400	010/DD+

All colors are also available in sample cans.
10610-90/SampleSet/17 x 100 ml + 5 x 100 ml PreTone

Basic colors							
	900005 Black	900126 White	900148 Grey				
Wood colors							
	800099 Mahogany	800127 Walnut	800132 Smoked oak	800145 Kambala	800149 Sucupira	800150 Wenge	800200 Antique oak
Trend colors							
	700133 Papyrus	900127 Chalk	900143 Oyster	900144 Clay	900145 Sand	900146 Pearl	900147 Silver

Color samples are not binding

Coloration with 2K ImpactOil Color

Standard recommendation for the coloring impregnation of hardwood floors.

5 After the penetration time, level out with a single-disc machine and LOBASAND SpecialPad beige

4 Apply a second layer of **2K ImpactOil Color** with LOBATool Trowel, allow to penetrate

3 After the penetration time, level out with a single-disc machine and LOBASAND SpecialPad beige

2 First application of **2K ImpactOil Color** with LOBATool Trowel, allow to penetrate

1 Preparation up to fine sanding



Please note the detailed technical information, processing instructions and set-up recommendations as well as technical tips and tricks „Sanding Instruction Staining of Wooden Floors“

Discover the infinite color variety of 2K ImpactOil Color, also in combination with PreTone.

With LOBA care and maintenance products, the beauty of your floors will persist.



Akzent 100 Oil

High Solid oil for wood floors on natural base.

- Made of plant-based oils
- 100% solid – solvent-free
- Extremely economical to use
- High resistance to water
- Easy and safe application
- Certified anti-slip properties as per DIN EN 16165:2021-12 for work areas
- Suitable for children's toys as per EN 71-3

ART.-NO.				GISCODE
10601-000000	750 ml/3l	6	480/180	Ö10+

APPLICATION DEVICE

Microfibre 60 - 80 oil roller
Trowel
(2 in a cross-wise pattern)

ml/m²

30 - 60

Wood

Akzent 100 Oil is a high solid oil for wood floors on natural base. It is suitable for use on all types of wood floors.

DIN EN 16165:2021-12

R10

A+
A B C



Akzent 100 Wax

High Solid oil/wax based on natural ingredients.

- Smooth and full bodied appearance
- 100% solid – solvent-free
- Extremely economical to use
- Increases the surface's water resistance
- Suitable for children's toys as per EN 71-3

ART.-NO.			
10602-000000	750 ml	6	480

APPLICATION DEVICE

Trowel

ml/m²

10 - 20

Wood | Trowelled floors

Akzent 100 Wax is a high solid oil/wax based on natural ingredients. It is suitable for use on all types of wood floors.

DIN EN 16165:2021-12



HardwaxOil Nature

Layer-forming hard wax oil.

- Oxime and cobalt free
- Natural look of an untreated floor
- Smooth and full bodied appearance
- Natural, velvety feel
- Suitable for partial repairs
- Dirt resistant, easy to clean surface
- Anti-slip class R10 according to DIN EN 16165:2021-12
- Suitable for children's toys as per EN 71-3

APPLICATION DEVICE

	ml/m ²
Trowel	20
Microfibre 60 - 80 oil roller	40 - 60
Oilbrush	

Wood



ART.-NO.				GISCODE
10509-000009	2.5l/750 ml	4/6	120/480	Ö60



Our HardwaxOil Nature gives an impressive untreated raw wood look

Its special composition reduces grain accentuation typically produced by oil. For hardwood floors.



HardwaxOil

Layer-forming hard wax oil.

- Oxime and cobalt free
- Smooth and full bodied appearance
- Natural, velvety feel
- Suitable for partial repairs
- Dirt resistant, easy to clean surface
- Anti-slip class R10 according to DIN EN 16165:2021-12
- Suitable for children's toys as per EN 71-3

ART.-NO.	VARIANT				GISCODE
10509-000003	satin	10 l/2.5 l/750 ml	-/4/6	42/120/480	Ö60
10509-000004	extra-matte	10 l/2.5 l/750 ml	-/4/6	42/120/480	

APPLICATION DEVICE		ml/m²
Trowel		20
Microfibre 60 - 80 oil roller		40 - 60
Oilbrush		

Wood | Cork



HardwaxOil EcoPlus


Natural hard wax oil.

- Smooth and full bodied appearance
- One roller application is sufficient
- Oxime and cobalt free
- Extremely economical to use
- Easy and safe application
- Water and dirt resistant
- Certified anti-slip properties as per DIN EN 16165:2021-12 for work areas
- Suitable for children's toys as per EN 71-3

ART.-NO.	VARIANT				GISCODE
10501-000000	semi-gloss	2.5 l	4	120	Ö20+

APPLICATION DEVICE		ml/m²
Trowel		30 - 60
Microfibre 60 - 80 oil roller		

Wood



Markant

Natural hard wax oil.

- Layer-forming, wear-resistant
- Smooth and full bodied appearance
- Water and dirt resistant
- Easy and safe application
- Accentuates the natural beauty of the wood
- Certified anti-slip properties as per DIN EN 16165:2021-12 for work areas
- Suitable for children's toys as per EN 71-3

ART.-NO.	VARIANT				GISCODE
10508-000000	semi-gloss	750 ml/2.5 l/10 l	6/4/-	480/120/42	Ö60

APPLICATION DEVICE		ml/m²
Trowel		20
Microfibre 60 - 80 oil roller		60 - 100
Oilbrush		

Wood | Cork





Markant Color

Colored natural hard wax oil.

- Layer-forming, wear-resistant
- Smooth and full bodied appearance
- Water and dirt resistant
- Easy and safe application
- Accentuates the natural beauty of the wood
- All variants can be mixed with each other
- Suitable for children's toys as per EN 71-3

APPLICATION DEVICE

















Trowel	20
Microfibre 60 - 80 oil roller	60 - 100
Oilbrush	

Wood



ART.-NO.	VARIANT				GISCODE
10508-...	Various colors	750 ml	6	480	Ö60

All colors are also available in sample cans.

Basic colors	 900005 Black	 900126 White	 900148 Grey				
Wood colors	 800099 Mahogany	 800127 Walnut	 800132 Smoked oak	 800145 Kambala	 800149 Sucupira	 800150 Wenge	 800200 Antique Oak
Trend colors	 700133 Papyrus	 900127 Chalk	 900143 Oyster	 900144 Clay	 900145 Sand	 900146 Pearl	 900147 Silver

Color samples are not binding

LOBASAND adds the final polish to your project!

A perfect sanding pattern is essential for beautifully oiled and waxed flooring. High-quality abrasives and pads can be found in the LOBASAND product range starting on **page 60**.

List of Wood Species for Oil & Wax Systems

1. European wood species

Wood type	2K ImpactOil	Akzent 100 Oil	HardwaxOil/Markant	HardwaxOil Nature	HardwaxOil EcoPlus
Maple	+	+	+	+	+
Acacia / Robinia	+	+	+	+	+
Acacia / steam-treated Robinia	+	+	+	◇	+
Birch	+	+	+	+	+
Pear tree	◇	◇	–	–	◇
Steam-treated beech	+	+	+	◇	+
Beech	+	+	+	+	+
Oak	+	+	+	+	+
Alder	+	+	+	+	+
Ash	+	+	+	+	+
Spruce	+	+	+	+	+
Chestnut	+	+	+	+	+
Pine	+	+	+	+	+
Cherry	+	+	+	◇	+
Larch	+	+	+	+	+
Walnut	+	+	+	◇	+
Olive	+	+	◇	◇	+
Smoked oak	+	+	+	◇	+
Elm	+	+	+	◇	+

2. Exotic wood species

Afrormosia	+	+	+	◇	+
Arrurra Vermelho	+	+	+	◇	+
Bilinga	+	+	+	+	+
Cabreuva	+	+	+	◇	+
Cumaru / almendrillo	+	+	+	+	+
Doussie / afzelia	+	+	+	◇	+
Eucalyptus / spotted gum	+	+	+	+	+
Eucalyptus / jarrah	+	+	–	–	+
Guatambu	+	+	◇	◇	+
Hevea	+	+	+	+	+
Ipe / lapacho	◇	◇	–	–	◇
Iroko / kambala	+	+	+	◇	+
Iron wood	+	+	◇	◇	+
Jatoba / Brazilian cherry	+	+	+	◇	+
Coconut	+	+	–	–	+
Kotibe	+	+	+	◇	+
Mahogany	+	+	+	◇	+
Massaranduba	+	+	◇	◇	+
Mecrusse	+	+	+	◇	+
Merbau	+	+	+	◇	+
Muhuhu	+	+	+	◇	+
Padouk	+	+	–	–	+
Panga Panga	+	+	+	◇	+
Piguia Marfin	+	+	◇	◇	+
Pitch pine (old floors)	+	+	+		+
Hard pine (pitch pine new)	+	+	◇	◇	+
Purpleheart	+	+	◇	◇	+
Sucupira	+	+	+	◇	+
Tasmanian oak	+	+	+	+	+
Teak	+	+	+	◇	+
Wenge	+	+	+	◇	+
Cypress	◇	◇	◇	◇	◇

3. Other substrates

Multiplex	+	+	◇	◇	+
OSB plates	◇	◇	◇	◇	◇
V100 chipboards	◇	◇	◇	◇	◇

+ = Can be used without restrictions

◇ = Use may lead to problems. We recommend consulting LOBA.

– = Use not recommended

* Can be used in full structure

Cleaning and care systems for oiled/waxed flooring

Page 54



Application Tools for Oil & Wax Systems



	OIL ROLLER	FINISH ROLLER			TROWEL
	Micro 60-80	Micro 100-120	Universal 100	Deluxe 120	Trowel
	ART.-NO. 16236-1	ART.-NO. 16236	ART.-NO. 16233	ART.-NO. 16234	ART.-NO. 16083
2K ImpactOil transparent	✓	–	–	–	–
PreTone	–	✓	–	–	–
Akzent 100 Oil	✓	–	–	–	✓
HardwaxOil EcoPlus	✓	–	–	–	–
Markant / HardwaxOil	✓	–	–	–	✓
HardwaxOil Nature	✓	–	–	–	✓

✓ = Can be used without restrictions – = Use not recommended * = Observe technical information

Use our download area

- Set-up recommendations
- Technical information
- Application videos



→ www.loba.de/int_en/downloads

Consumption calculator

Your handy helper for quickly calculating how much you need can be found at www.loba.de/int_en/services and on every product page.



A great sport

Water-based finishes from LOBA for sports flooring are extremely resilient and can withstand even the toughest challenges in top-class sports. Our finishes are suitable for use in gyms and multi-purpose halls and are certified by FIBA, the international basketball federation, as material for basketball competitions, even at the international elite level.



SportFinish

1K water-based sports hardwood floor finish.

- Meets the coefficient of sliding friction of the European sports floor standard
- Good price/performance ratio
- Easy and safe application

APPLICATION DEVICE

Deluxe 120 roller

Microfibre 100 - 120 roller

ml/m²

100 - 120

Wood



ART.-NO.	VARIANT			GISCODE
11537-000001	semi-gloss	10 l	60	W2+



2K UltraSport

Water-based 2-component polyurethane finish for hardwood floors.

- Meets the requirements of German and European sports flooring standards
- Extremely high scuff-mark resistance
- Easy and safe application
- Excellent wear resistance

APPLICATION DEVICE

Deluxe 120 roller

Microfibre 100 - 120 roller

g/m²

100 - 120

Wood | Linoleum | PVC



DIN 18032

EN 14904

1) extra matte

ART.-NO.	VARIANT			GISCODE
11401-900005	extra matte	5 kg	2	96
11401-900003	satin	5 kg	2	96

The appropriate primers and finishes suitable for sports flooring.



* Semi-matte, in combination with SportCare.



SportRemover

Intensive cleaner for sports floors.

- Removes old layers of care product
- Removes stubborn dirt
- pH-neutral, also suitable for linoleum floor coverings

Wood | Linoleum | PVC

ART.-NO.			GISCODE
10078-000000	10 l	60	GG60



SportCleaner

Highly concentrated, pH-neutral cleaner.

- Great cleaning power
- A concentrate with a very high yield, 1 l of LOBA SportCleaner makes up to 200 l of ready-to-use cleaning solution
- Material-protecting and pH-neutral
- Environmentally friendly biodegradable cleaner
- Ideal for use with cleaning machines

All water-resistant flooring

ART.-NO.			GISCODE
10178-000000	10 l	60	GU73



SportRefresh

Water-based wipe care product.

- For regular wipe care in sports halls
- Can also be machine applied
- Meets the requirements of German and European sports flooring standards
- Extremely economical concentrate

Linoleum | PVC

EN 14904

ART.-NO.			GISCODE
10059-200000	10 l	60	GU83



SportCare

Water-based floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Brings new shine to heavily used and worn floors
- Prevents scuff marks from shoe soles in the finish
- Especially safe to walk on
- Easy and safe application
- Extremely high scuff-mark resistance

Wood | Linoleum | PVC



DIN 18032
EN 14904

ART.-NO.				GISCODE
10055-000000	1 l/10 l	12/-	480/60	GE20

SportCare with LOBA Wischwiesel


Water-based dispersion care product for finished floors. Protects finished floors against fine scratches and signs of wear with a care film. Prevents early wear and increases the surface's lifespan.

Application with the LOBA Wischwiesel is recommended.

See page 68.

Long-term protection for resilient coverings

Whether you need to finish newly laid designer or vinyl flooring or want to renovate flooring that's looking a little worn: With our water-based system for resilient floor coverings made of vinyl, PVC, LVT or linoleum, you can ensure reliable protection of the surface against dirt, liquids and wear, even in heavy-traffic areas.





2K UltraElastic

Water-based 2-component polyurethane finish for resilient floorings.

- Lap-free application
- Specially developed for renovating linoleum, PVC, CV and LVT coverings
- Reduces the cleaning effort due to reduced dirt adhesion
- Optimised joint protection safeguards the substrate
- Certified anti-slip properties as per DIN EN 16165:2021-12 for work areas

APPLICATION DEVICE

Microfibre 100 - 120 roller

g/m²

60 - 80

Stress level




Linoleum | PVC



ART.-NO.	VARIANT				GISCODE
11043-000005	extra matte	5 kg	2	96	W3/DD+

Tip:

Can be re-finished within 24 hours without intermediate sanding, and thereafter with only one intermediate sanding. Intermediate sanding before the last application improves the final visual result. Simply use LOBASAND PerforatedPad P180 or a finer grain size; alternatively you can use LOBASAND SandingGrid P180 or a finer grain size.



Cleaning and care systems for resilient flooring


LOBA offers a wide range of cleaning products that are ideal for the effective and gentle cleaning and care of flooring such as vinyl, PVC, LVT or linoleum.

See page 51.



Concrete look made easy

Cool, individual, timeless: A minimalist industrial look can easily be created with a floor in a concrete look – with the Factory Line from LOBA. The water-based, very low-emissions system retains the natural color and visual effects of cementitious trowelled flooring and thus opens up a wide range of options for designing concrete-look floors.





FactoryBase

Water-based roller primer for cement-based levelling compounds for direct use.

- Easy and safe application
- Time efficient through application in a 2-coat system (1x primer 1x finish)
- Optimizes adhesion between levelling compound and finish
- Applicable in a system with LOBA 2K FactoryStyle and numerous levelling compounds

ART.-NO.				GISCODE
11751-000000	5l	4	128	W2+

APPLICATION DEVICE

Microfibre 100 - 120 roller
Universal 100 roller

ml/m²

100 - 120

Trowelled floors



2K FactoryStyle

2K water-based polyurethane finish for cementitious levelling compounds for direct use.

- Particularly low emission according to EMICODE EC1 Plus
- Uniform matt surface
- Wide range of applications also in public areas due to anti-slip R9
- Time efficient through application in a 2-coat system (1x primer 1x finish)

ART.-NO.	VARIANT				GISCODE
11743-000094	extra matte	5 kg	2	96	W2/DD+

APPLICATION DEVICE

Microfibre 100 - 120 roller


g/m²

100

Stress level



Trowelled floors



Design and protection for wooden terraces

From thorough cleaning, finishing and oiling to maintenance – the complete system from LOBA offers perfectly coordinated products for the design, protection and care of your wooden or WPC terrace. The Deck Line is ideal for various wood species, and for both smooth and grooved planks. The treatment effectively protects against UV radiation, frost and moisture.



DeckPrepare

Primer for wooden decks in outdoor areas.

- Delays the weather-related graying of wood
- Strengthens the protective effect of the subsequent surface refinement
- Improves the adhesion of the subsequent coating to the substrate
- Easy and safe application
- Quick-drying
- Color- and odorless
- Environmentally friendly
- Applicable in a system with LOBA DeckFinish Color. Optional application before impregnation with LOBA DeckOil/Color

ART.-NO.				GISCODE
11841-000000	5l	4	128	W2+

APPLICATION DEVICE		ml/m ²
Oilbrush		100 - 120
Brush		

Wood



DeckFinish

1C water-based finish for exterior wooden surfaces.

- Emphasizes the natural wood color
- Chlorine resistant
- Easy and safe application
- No roughening of the wood
- Short drying time
- More durable than oiled surfaces
- Suitable for smooth and grooved planks
- Mixable and tintable with all color variants

ART.-NO.	VARIANT				GISCODE
11842-000000	transparent	5l	4	128	W3+

APPLICATION DEVICE		ml/m ²
Oilbrush		100 - 120
Brush		

Wood



DeckFinish Color


1C water-based finish for exterior wooden surfaces.

- Deep protection against UV radiation, frost and moisture
- Chlorine resistant
- Easy and safe application
- No roughening of the wood
- Short drying time
- Suitable for all types of wood
- Suitable for smooth and grooved planks
- Applicable in a system with LOBA DeckPrepare


ART.-NO.	VARIANT				GISCODE
11842-...	various colors	5l	4	128	W3+

APPLICATION DEVICE		ml/m ²
Oilbrush		100 - 120
Brush		


Wood




800145
Light brown



800150
Dark brown



800099
Red brown



900148
Grey

Color samples are not binding



DeckOil

Oil impregnation for wooden surfaces in outdoor areas.

- Deep protection against frost and moisture
- Good penetration behaviour
- Easy and safe application
- Also suitable for impregnation of garden furniture
- Applicable on smooth and grooved planks
- The preceding use of LOBA DeckPrepare increases the durability
- Suitable for children's toys as per EN 71-3

ART.-NO.	VARIANT				GISCODE
10616-000000	transparent	750 ml/2.5l/12l	6/4/-	480/120/42	Ö60

APPLICATION DEVICE

ml/m²

Oilbrush

80 - 120

Brush

Wood



DeckOil Color

Colored oil impregnation for wooden surfaces in outdoor areas.

- Deep protection against UV radiation, frost and moisture
- Good penetration behaviour
- Easy and safe application
- Also suitable for impregnation of garden furniture
- Applicable on smooth and grooved planks
- The preceding use of LOBA DeckPrepare increases the durability
- Suitable for children's toys as per EN 71-3

ART.-NO.	VARIANT				GISCODE
10616-...	various colors	2.5l	4	120	Ö60

APPLICATION DEVICE

ml/m²

Oilbrush

80 - 120

Brush


Wood



800145
Light brown



800150
Dark brown



800099
Red brown



900148
Grey

Color samples are not binding



DeckDegrayer

Special cleaner for wooden surfaces in outdoor areas.

- Ideal degreasing preparation for follow-up treatment
- Easy and safe application
- Can be used on horizontal and vertical surfaces and garden furniture, does not drip
- No sanding necessary
- Applicable to all wood species

Wood

ART.-NO.				GISCODE
10741-000000	2.5l	6	144	GG10



DeckCleaner

Maintenance cleaner for outdoor areas.

- Can be used for maintenance and intensive cleaning
- Very productive
- Suitable for oiled and finished wood and WPC

Wood | WPC

ART.-NO.				GISCODE
10731-000000	2.5l	6	144	GU70



DeckRefresh

Water-based wipe care for outdoor areas.

- Thorough, gentle wipe care
- Gives the surface a silky sheen
- Easy and safe application
- No remover necessary due to a self-emulsifying formula
- Suitable for oiled and finished wood surfaces in outdoor areas

Wood

ART.-NO.				GISCODE
10711-000000	2.5l	6	144	GU40



WPC Refresh

Maintenance oil based on solvents.

- Optical upgrading for WPC and oiled wood surfaces
- Brings back the silky matte look
- Easy and safe application
- Suitable for WPC and oiled wood surfaces

Wood | WPC

ART.-NO.				GISCODE
10721-000000	1l	6	480	Ö60

Gently protect beautiful floors

LOBA thinks beyond the finishing of valuable flooring: In order to optimally protect the surface and maintain it for as long as possible, we offer top-quality care and cleaning products for professional users. With our wide range of products, you can maintain long-term value and a perfect appearance, both indoors and outdoors. Caring and cleaning with LOBA: For those who think long-term!



Cleaner

Highly concentrated, pH-neutral cleaner.

All water-resistant flooring

- Excellent cleaning effect thanks to superb dirt-dissolving power
- Extremely economical concentrated, 1 litre of LOBA Cleaner yields up to 200 litres of ready-to-use cleaning solution
- Material-protecting and pH-neutral
- Can be used universally for all waterproof surfaces
- Environmentally friendly biodegradable cleaner

ART.-NO.				GISCODE
10175-400000	11/10l	12/-	480/60	GU73



LaminateCleaner

Highly concentrated, pH-neutral cleaner.

Laminate

- Significantly reduces the risk of swollen edges with laminate flooring
- Extremely economical concentrate
- Also suitable for plastic-coated furniture, walls, doors and windows
- Streak-free drying
- Material-protecting and pH-neutral
- Excellent cleaning effect thanks to superb dirt-dissolving power

ART.-NO.				GISCODE
10443-000000	11	12	480	GU50



Cleaning and care systems
for sports flooring

See the Sports Flooring range on page 40.



CareRemover

Remover for finished floors.

- Removes old layers of care product
- Removes stubborn dirt
- Can be used universally on various finished floors
- Material-protecting and pH-neutral

Wood | Cork | Linoleum | PVC | Tile

ART.-NO.				GISCODE
10065-900000	1l/10l	12/-	480/60	GG60



ParkettCare

Water-based floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Can be used without restriction for prefinished wood floors and for finished UV surfaces
- Recommended by leading industrial wood floor manufacturers
- Brings new shine to heavily used and worn floors
- Easy and safe application

Wood

ART.-NO.	VARIANT				GISCODE
10011-400003	satin	1l/5l	12/4	480/128	GE10
10011-400000	silk gloss	1l/5l/10l	12/4/-	480/128/60	



FloorCare

Water-based floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Can be used universally on various finished floors
- Brings new shine to heavily used and worn floors
- Easy and safe application

Wood | Cork | Linoleum | PVC | Tile

ART.-NO.	VARIANT				GISCODE
10490-400003	satin	1l/5l	12/4	480/128	GE10
10490-400000	silk gloss	1l/10l	12/-	480/60	GE20
10490-400180	anti-slip	10l	-	60	GE10



KorkCare

Water-based floor care product.

- Universal care product for all finished cork flooring
- Brings new shine to heavily used and worn floors
- Easy and safe application
- Water-based and eco-friendly
- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Recommended by leading manufacturers of prefabricated cork

Cork

ART.-NO.				GISCODE
10265-400000	1l	12	480	GE10



PermanentCare

Polyurethane floor care product.

- Particularly wear-resistant, pure PU permanent care product
- Provides long-term protection against wear
- Applies a matt shine to tired and worn floors
- Can be used universally on various finished floors
- Extremely high scuff-mark resistance
- Hoher Festkörpergehalt

Wood | Cork | Linoleum | PVC

ART.-NO.	VARIANT				GISCODE
10189-200003	satin	1l/5l	12/4	480/128	GE10
10189-200000	gloss	1l/5l	12/4	480/128	



Refresh

Water-based wipe care product.

- Universell auf verschiedenen lackierten und geölten Belägen einsetzbar
- Extremely economical concentrate
- Can also be machine applied
- Clearly visible care effect
- No basic cleaning required

Wood | Cork | Linoleum | PVC | Tile



DIN 18032
EN 14904

ART.-NO.				GISCODE
10046-200000	1l/10l	12/-	480/60	GU40

Product and name changes at a glance

There have been significant changes in the range of cleaning and care products. You will find all changes here.

The following articles have been renamed

New name	Former name
PermanentCare	V6 Finish
Refresh	CareCleaner
WaxRefresh	WaxCleaner
Sportbodenpflege / SportRefresh	Sportbodenpflege / GymCare

The following articles are new

SportRemover
SportCleaner

The following articles have been optimized and renamed

New name	Former name
ParkettOil Deluxe	ParkettOil Pro



Parkettoil

Maintenance oil solvent-based.

- Refreshes tired and worn floors
- Removes slight damage in oiled surfaces
- Ideal for full-surface care or partial improvements
- Easy and safe application
- Preserves the anti-slip properties of oiled flooring

Wood

ART.-NO.				GISCODE
10461-400000	1l/5l	6/4	480/120	Ö60



NEW

Parkettoil Deluxe

High performance maintenance oil.

- Ideal for full-surface care or partial improvements
- Specially for re-impregnation after intensive cleaning
- Preserves the anti-slip properties of oiled flooring

Wood

ART.-NO.	VARIANT				GISCODE
10466-200000	Transparent	1l/5l	6/4	480/120	Ö40+
10466-200126	White	1l	6	480	Ö40+



ParkettWax

Maintenance wax solvent-based.

- Protects the floor against water and dirt
- Classic floor wax
- Closes open pores in the wood
- Easy to polish

Wood | Cork

ART.-NO.	VARIANT				GISCODE
10429-400000	Transparent	1l/12l	6/-	480/50	Ö60
10429-480031	Red brown	12l	-	50	-



NEW

WaxRefresh

Water-based wipe care product.

- Leaves behind a thin protective wax film
- Extremely economical concentrate
- Material-protecting and pH-neutral
- Good cleaning effect
- Universally applicable on various oiled/waxed floors

Wood | Cork

ART.-NO.				GISCODE
10041-200000	10l/1l	-/12	60/480	GU73



WaxRemover

Remover solvent-based for oiled and waxed floors.

- Classic intensive cleaner for oiled / waxed floors
- Also suitable for water-sensitive flooring

Wood | Cork | Linoleum | PVC

ART.-NO.				GISCODE
10309-400000	1l	6	480	GG0



ParkettSoap

Water-based soap for oiled and waxed floorings.

- Good cleaning effect
- Care effect

Wood | Cork

ART.-NO.	VARIANT				GISCODE
10048-000000	Transparent	1l/5l	12/4	480/128	GU70
10048-900126	White	1l	12	480	



NatureOil

Water-based maintenance oil.

- Refreshes tired and worn floors
- Removes slight damage in oiled surfaces
- Solvent-free
- Odor neutral
- Innovation by LOBA

Wood

ART.-NO.				GISCODE
10100-000000	1l/5l	15/4	540/128	Ö10+



NatureWax

Water-based maintenance wax.

- Protects the floor against water and dirt
- Easy and safe application
- Solvent-free
- Odor neutral
- Easy to polish
- Innovation by LOBA

Wood

ART.-NO.				GISCODE
10105-000000	1l/5l	15/4	540/128	GE10

Cleaning and Care for the Home

Have you just beautified a private home? Everyone is satisfied, you're packing up and handing over the care instructions upon departure? That doesn't have to be the end of the business relationship! Recommend LOBA Home – for easy, gentle cleaning and care! This way, floors receive the attention they deserve, and you can continue to be there for your customers. It's that simple: with LOBA Home.





Universal Cleaner Concentrate

For maintenance/intensive cleaning.

- Ideally suited for intensive and maintenance cleaning
- Fast drying without streaks
- pH-neutral, free of solvents and plasticizers
- Biodegradable, without microplastics

Water-resistant surfaces with/without underfloor heating

ART.-NO.			GISCODE
10023-000000	500 ml	12	GU70



Universal Cleaner Spray

For maintenance cleaning.

- Ready-to-use spray
- Fast drying without streaks
- pH-neutral, free of solvents and plasticizers
- Biodegradable, without microplastics

Water-resistant surfaces

ART.-NO.			GISCODE
10042-000000	500 ml	12	GU40



New!

YOUR HOME OUR PASSION

	PREVIOUS PRODUCT RANGE	NEW PRODUCT RANGE	
 CLEANING	FloorCleaner+	Universal Cleaner Concentrate (Concentrate)	
	CleanFix	Universal Cleaner Spray	
		Cleaner for finished hardwood floors (Concentrate)	
		Cleaner for oiled waxed hardwood floors (Concentrate)	
 CARE	ParkettRefresh+ for finished floors	Care for finished hardwood floors (Concentrate)	
	ParkettRefresh+ for oiled floors	Care for oiled waxed hardwood floors (Concentrate)	
	ElasticRefresh+ for PVC, vinyl, design floors and linoleum	available as of summer 2024	
 ACCESSORIES	SprayMop Set	Spray Mop Set	
	Refill	Spray Mop Refill	
	Mop	Mop	
	Mop Cover	Mop Pad	



Cleaner for finished hardwood floors

Concentrate for maintenance/intensive cleaning.

- Ideally suited for intensive and maintenance cleaning
- Fast drying without streaks
- pH-neutral, free of solvents and plasticizers
- Biodegradable, without microplastics

Finished wood floors with/without underfloor heating

ART.-NO.			GISCODE
10021-000000	500 ml	12	GU70



Cleaner for oiled | waxed hardwood floors

Concentrate for maintenance/intensive cleaning.

- Ideally suited for intensive and maintenance cleaning
- Fast drying without streaks
- pH-neutral, free of solvents and plasticizers
- Biodegradable, without microplastics

Oiled/waxed wood floors with/without underfloor heating

ART.-NO.			GISCODE
10022-000000	500 ml	12	GU70



Care for finished hardwood floors

Concentrate for maintenance/intensive care.

- Ideally suited for intensive and maintenance care
- Fast drying without streaks
- pH-neutral, free of solvents and plasticizers
- Biodegradable, without microplastics
- Slip-resistant and sure-footed
- Prevents scuff marks caused by shoe soles M23

Finished wood floors with/without underfloor heating

ART.-NO.			GISCODE
10036-000000	500 ml	12	GU40



Care for oiled | waxed hardwood floors

Concentrate for maintenance/intensive care.

- Ideally suited for intensive and maintenance care
- Fast drying without streaks
- pH-neutral, free of solvents and plasticizers
- Biodegradable, without microplastics
- Slip-resistant and sure-footed
- Prevents scuff marks caused by shoe soles M23

Oiled/waxed wood floors with/without underfloor heating

ART.-NO.			GISCODE
10037-000000	500 ml	12	GU40



Spray Mop Set

Mop with integrated spray function.

- Quick and easy cleaning without a cleaning bucket
- Damp mopping - ideal for wooden floors
- Includes microfiber mop pad and 250 ml refill cleaning concentrate

Water-resistant floors

ART.-NO.		
16250-200000	12	192



Mop

Mop for application of LOBA cleaning and care products

- Easy application
- Including high-quality microfiber mop pad (washable up to 60° C without fabric softener)

Water-resistant floors

ART.-NO.	
16244-200000	24



Spray Mop Refill

High-yield cleaning concentrate for refilling the LOBA Spray Mop.

- Easy dosing and refilling of the LOBA Spray Mop container
- Fast drying without streaks
- pH-neutral, free of solvents and plasticizers
- Biodegradable, without microplastics

Water-resistant floors with/without underfloor heating

ART.-NO.			GISCODE
10177-200000	250 ml	45	GU40



Mop Pad

Replacement cover for LOBA Spray Mop and Mop.

- High quality microfiber mop pad (washable up to 60° C without fabric softener)
- Suitable for LOBA Spray Mop and Mop

Water-resistant surfaces

ART.-NO.	
16253-200000	100

Premium quality abrasives and pads.




The various sanding phases of a new hardwood floor installation or renovation have a considerable influence on the final result. With our LOBASAND product range, we offer professionals a wide range of top-quality abrasives and pads. The high-performance materials and carrier technologies used guarantee effective working with all common machines for best results.



LOBA sanding recommendations: the right combination for every purpose



Standard sanding recommendation

For old and new hardwood floors

COARSE	P40 Zircon for fast removal	
MEDIUM	P60 Ceramic for more effective removal with a long tool life	
FINE	P100 Ceramic for an even sanding pattern	
EDGE	P40 Zircon for fast removal and P80 ceramic for more effectiveness and a fine sanding pattern	


High demands on the sanding result

For preparation for coloring or oiling

COARSE	P40 Zircon for fast removal	
MEDIUM	P80 Ceramic for more effective removal with a long tool life	
FINE	P120 Ceramic for an even sanding pattern	
EDGE	P40 Zircon for fast removal and P80 Ceramic for more effectiveness and a fine sanding pattern	
	P100 Aluminum Oxide with random orbital sander	

Effective for property and residential construction

For sanding hardwood floor (parallel bracing) in preparation for finishing

COARSE	P50 Zircon for fast removal	
MEDIUM	P80 Ceramic for more effective removal with a long tool life	
EDGE	P40 Zircon for fast removal and P80 Ceramic for more effectiveness and a fine sanding pattern	



Videos of sanding
recommendations



PRO TIP:
To even out sanding marks at the
edges and on the surface:
**PerforatedPad P100/P120 with
DustPad**



Premium | Ceramic

**For the most beautiful sanding pattern
and the best tool life**


- Achieves the best sanding pattern
- Very long service life
- Extreme heat resistance
- Best price-performance ratio on the market, as it is very resilient
- Suitable for all surface treatments
- For sanding UV-coated floors

Product	CERAMIC		Article number	Dimensions	Coarse sanding				Medium sanding				Fine sanding		Final sanding		Intermediate sanding	
Belt		10	17107-000...	200 x 750 mm			P36	P40		P50	P60	P80		P100	P120			
		10	17103-250...	250 x 750 mm			P36	P40		P50	P60	P80		P100	P120			

Hook & Loop disc 15-hole		50	17161-150...	ø 150 mm					P40		P60		P80	P100	P120			P180
Hook & Loop disc		50	17160-140...	ø 140 mm					P40		P60							
		50	17159-150...	ø 150 mm		P24	P36		P40	P50	P60		P80	P100	P120			
		50	17160-200...	ø 200 mm		P24	P36		P40	P50	P60		P80	P100	P120	P150	P180	
Hook & Loop disc Center hole		50	17170-178...	ø 178 mm		P24	P36		P40	P50	P60		P80	P100	P120			

Perfect sanding pattern with a great look!

With the LOBASAND belt, you can prepare floors perfectly for subsequent surface finishes. Whether it's a raw-wood look with 2K InvisibleProtect that you want, or an intense effect with 2K ImpactOil, LOBASAND allows you to truly bring out the natural beauty of wooden flooring.





Dynamic | Zircon

For fast results and high abrasion

- Fast removal
- Highly aggressive
- Clogs less because of half-open spreading
- Good heat resistance
- 100% zircon, unique selling proposition on the market

Product	ZIRCON		Article number	Dimensions	Coarse sanding			Medium sanding			Fine sanding		Final sanding		Intermediate sanding		
Belt		10	17105-000...	200 x 750 mm		P24	P36	P40		P50	P60	P80		P100	P120		
		10	17101-250...	250 x 750 mm			P36	P40		P50	P60	P80		P100	P120		

Hook & Loop disc 9-hole		50	17140-125...	ø 125 mm					P40		P60		P80	P100	P120		
Hook & Loop disc 15-hole		50	17173-150...	ø 150 mm					P40		P60		P80	P100	P120		P180
Hook & Loop disc		50	17112-140...	ø 140 mm			P36				P60			P100	P120		
		50	17112-150...	ø 150 mm		P24	P36		P40		P60		P80	P100	P120		
		50	17112-200...	ø 200 mm							P60		P80	P100	P120		
Hook & Loop disc Center hole		50	17171-178...	ø 178 mm		P24	P36		P40	P50	P60		P80	P100	P120		




Classic | Aluminum Oxide

For price-conscious projects

- Leaves behind fewer visible scratches
- Low-cost price per unit
- Good for preparation for subsequent impregnation or coloring

Product	ALUMINUM OXIDE		Article number	Dimensions	Coarse sanding				Medium sanding				Fine sanding		Final sanding		Intermediate sanding	
Belt		10	17101-000...	200 x 750 mm	P16	P24	P36	P40		P50	P60	P80		P100	P120			
Hook & Loop disc 15-hole		50	17142-150...	ø 150 mm		P24	P36		P40		P60		P80	P100	P120			
Hook & Loop disc		50	17111-150...	ø 150 mm	P16	P24	P36		P40		P60		P80	P100	P120			
		50	17115-200...	ø 200 mm					P40		P60		P80	P100	P120			
Hook & Loop disc Center hole		50	17110-178...	ø 178 mm	P16	P24	P36		P40		P60		P80	P100	P120			
Hook & Loop strip		100	17060-000240	81 x 133 mm														P240
Triangle		50	17041-000...	ø 80 mm				P40			P60		P80	P100				

Other abrasives and pads

Product			Article No.	Dimensions Grain size	Range of use
SpecialPad beige		10	16550-406410	ø 406 x 10 mm	Levelling
Pad for beige pad holder		25	16550-250210	250 x 120 x 10 mm	Levelling
HandPadSet beige		1 + 25 pads	16555-000000	85 x 135 x 10 mm	Levelling
SpecialPad green		10	16550-406420	ø 406 x 10 mm	Thorough cleaning
Pad for pad holder green		25	16550-250310	250 x 120 x 10 mm	Thorough cleaning
ScrubberPad black		1	16552-406010	ø 406 mm	Thorough cleaning
NormalPad white		10	16550-124352	ø 406 x 10 mm	Polishing
SuperPad white		5	16551-124662	ø 406 x 20 mm	Polishing
Polishing fleece		10	16560-000000	ø 406 mm	Intermediate sanding
DustPad violet		5	17039-410000	ø 410 mm	Dust reduction
PerforatedPad yellow		10	17037-410...	ø 410 mm 80/100/120/150/180	For single-disc machines (fine and intermediate sanding)
SandingGrid		20	17025-406...	ø 406 mm 60/80/100/120/150/180	For single-disc machines (fine and intermediate sanding)
DoubleDisc		10	17021-000...	ø 406 mm 16/24/36/40/60/80/100/120	For single-disc machines
Adhesive fabric		50	17010-178000	ø 178 mm	For circular sanding machines
Pad holder with telescopic bar		1	16553-000000	Extendable to 97-184 cm	Levelling and thorough cleaning



Tools and accessories – only the best for professionals!

Since tools are effectively an “extended arm of the craftsman”, they are hugely important. You can expect the best from LOBA in this field, too: We extensively test every applicator and every tool before adding them to our range. Our uncompromising quality standards provide the certainty of being able to work easily, safely and fast in tough everyday situations on the construction site.



Roller Deluxe 120

Ensures the recommended quantity (approx. 120 g/m²). No roller frame included.

ART.-NO.	DESCRIPTION	
16234-000000	25 cm roller	12



Roller Microfibre 100-120

For all LOBA water-based finishes as well as the primers EasyPrime and VivaPrime and Sealer FR. Application quantity between 100-120 g/m². No roller frame included.

ART.-NO.	DESCRIPTION	
16236-000000	25 cm roller	12



Roller Universal 100

For LOBA Rush as well as LOBA primers PrimaSeal Plus. Application quantity approx. 100 g/m². No roller frame included.

ART.-NO.	DESCRIPTION	
16233-000025	25 cm roller	12



Oil roller Microfibre 60-80

For the roller application of oils (LOBA oils and 2K Intensive). Applied quantity: 40-60 g/m². No roller frame included.

ART.-NO.	DESCRIPTION	
16236-100000	25 cm roller	12



Small roller for edges

Roller for edges and other hard-to-reach areas.

ART.-NO.	DESCRIPTION	
16237-000000	10 cm roller	10



Roller frame, roller extension

Roller frame: for finish rollers.
Telescopic bar: roller extension. Can be extended up to 2.5 metres.

ART.-NO.	DESCRIPTION	
16238-000000	Telescopic bar expandable 117-200 cm	10
16232-000000	Roller frame for 25 cm roller	20
16232-100000	Roller frame for 10 cm edge roller	20



Rollerbox 25 cm

Clean storage of rollers.

ART.-NO.	DIMENSIONS	
16340-000000	25 cm	50



Oilbrush

Applicator for certain LOBA products for outdoor areas.

ART.-NO.	DIMENSIONS	
16081-000021	21 cm	1



Brush with long handle

Brushes for corners, edges and other hard-to-reach areas.


ART.-NO.	DIMENSIONS	
16239-000000	60 mm	12



Trowel

Applicator for filler products, oils, waxes, coloring systems and primers.

ART.-NO.	DESCRIPTION	DIMENSIONS	
16083-0000...	stainless steel	27 cm/35 cm	6



TrimPad applicator

Applicator for 2K Contact and WPC Refresh.

ART.-NO.	DESCRIPTION	DIMENSIONS	
16274-000010	Spare TrimPad	25 cm	12
16275-000000	Telescopic bar TrimPad	-	10
16273-000010	TrimPad applicator	25 cm	12



Wischwiesel

Applicator with pad for water-based LOBA maintenance products. The LOBA applicator pad is a high-quality applicator head for the LOBA Wischwiesel.

ART.-NO.	DESCRIPTION	DIMENSIONS	
16247-000000	Applicator	140 cm	20
16249-000000	Applicator pad	44 cm	100

Range of Use - Rollers



		OIL ROLLER	FINISH ROLLER		
		Micro 60 – 80	Micro 100 – 120	Universal 100	Deluxe 120
		ART.-NO. 16236-1	ART.-NO. 16236	ART.-NO. 16233	ART.-NO. 16234
	EasyPrime	–	✓	✓	–
	VivaPrime	–	✓	✓	–
	PrimaSeal Plus	–	–	✓	–
	2K Intensive	✓	–	–	–
	ProColor	✓*	–	–	–
	FactoryBase	–	✓	✓	–
	EasyFinish	–	✓	–	✓
	Viva	–	✓	–	✓
	Life	–	✓	–	✓
	2K InvisibleProtect	–	–	–	✓
	2K Supra A.T.	–	✓	–	✓
	2K Duo	–	✓	–	✓
	2K Fusion	–	✓	–	✓
	2K UltraElastic	–	✓	–	✓
	SportFinish	–	✓	–	✓
	2K UltraSport	–	✓	–	✓
	2K FactoryStyle	–	✓	–	–
	Rush	–	–	✓	–
	2K ImpactOil transparent	✓	–	–	–
	PreTone	–	✓	–	–
	Akzent 100 Oil	✓	–	–	–
	HardwaxOil EcoPlus	✓	–	–	–
	Markant / HardwaxOil	✓	–	–	–
	HardwaxOil Nature	✓	–	–	–

✓ = Can be used without restrictions
 – = Use not recommended
 * = Observe technical information



Cover 400 g

Protection covers with vapor diffusion capability made of recycled textiles (50%) and recycled paper (50%). Protection covers for newly finished or oiled hardwood floors.

ART.-NO.	DESCRIPTION	DIMENSIONS	
16280-000000	Protection cover	W 100 cm, L 50 m	1



Dosing pump

Dosing pump for 10 L containers. The dosing cap extracts approx. 30 ml per push.

ART.-NO.	DESCRIPTION	
16225-000000	Depth of immersion: approx. 28.5 cm - wreath: ø 4.5 cm	25



Mixing container

Measuring cup with scale for the measurement of partial quantities of LOBA 2K water-based finish or LOBA 2K Intensive.

ART.-NO.	DESCRIPTION	
16080-...	For 2K sealers filling quantity 1l or 2K Intensive filling quantity 1l	1



Paintmixer

For the fast and mechanical stirring of colors or the mixing-in of hardening components.

ART.-NO.	DIMENSIONS	
16254-000000	ø 60, length 350 mm	10



Shoegaloshes

Made of fabric. 10 pairs in a clap pack. Absorbent and anti-slip. To be put on during final inspections, site inspections, oiling hardwood flooring, cleaning flooring, etc.

ART.-NO.	
16422-001196	10



Spray can

Simple application of cleaning and maintenance products.

ART.-NO.	DESCRIPTION	
16310-000000	filling quantity 1l	1



Coating bucket, bucket liner

Bucket with lid and measuring scale. PE liners for the coating bucket.

ART.-NO.	DESCRIPTION	
16099-000000	Bucket filling quantity 18l	1
16218-000000	Bucket liner	25



Wiping cloth

Ideally suited to wipe up excess material after oil application. Highly absorbent cloth with long lifetime. The product can also be used for cleaning tools and machines.

Material: 30 % cotton, 25 % viscose, 20 % polypropylene, 15 % polyester and 10 % other fibres

ART.-NO.	DIMENSIONS	
16421-100000	50 x 60 cm	100



Thermohygrometer

For measuring ambient temperature and relative humidity.

ART.-NO.	
16230-200000	1



Canister Opener

Convenient tool for opening LOBA canisters. Especially helpful for opened canisters

ART.-NO.	
16219-000000	1



GapFiller

Acrylic-based resilient joint sealer repair compound.

- Very high filling capacity, low shrinkage
- Fast drying
- Very elastic
- Sandable, colorable and recoatable with finishes, oils and care products
- Solvent and odor free
- High adhesion

ART.-NO.	VARIANT			GISCODE
16227-...	Various colors	310 ml	12	D1



Maple



Beech



Oak



Light oak



Grey



Mahogany



Silver



Walnut



White

Color samples are not binding



Cork stripes

For installation between doorways or in edge areas.

ART.-NO.	DESCRIPTION	DIMENSIONS	
16043-290010	mocca	915 x 10 x 10 mm 915 x 10 x 14 mm 915 x 10 x 22 mm	80/60/36
16042-291510	nature	915 x 10 x 10 mm 915 x 10 x 14 mm 915 x 10 x 22 mm	80/60/36



RepairSet

Set with different colors. The solution for all smaller repairs of hardwood floors, multi-layer hardwood floor, laminate and cork flooring. Colors are mixable. Includes wedge scraper, hot knife and abrasive fabric.

ART.-NO.	VARIANT	
16351-000000	Various colors	1



Workshops and trainings

Through numerous trainings conducted at our company headquarters, or in your region, we will enable you to make the very best use of our products. With LOBA, you have a reliable partner by your side who will help you inspire your customers and boost your success as a flooring specialist or interior designer.



PLEASE FIND OUR
TRAINING DATES HERE.
BOOK YOUR SEMINAR
TODAY!

Our stress levels at a glance

The new stress levels defined by LOBA help you find the perfect finish for the types of stress your project will be exposed to.

Our teams in the Application Technology and Research & Development departments continuously test LOBA products in order to ensure consistent quality and develop our products further on the basis of new requirements defined by our customers as well as laws and regulations. The tests are extremely comprehensive and examine numerous properties.

Four test categories were chosen that most strongly represent the overall resistance of the finishes:

- Single scratch
- Abrasion
- Wear
- Chemical resistance

1K and 2K finishes are evaluated on the basis of laboratory values in the respective categories on a scale of 1 – 10, and a mean value is also calculated from this.

	2K Duo
Single scratch	9
Abrasion	10
Wear	9
Chemical resistance	9
Mean value	9.3 -> 9

Calculation example using 2K Duo



As shown on the product



Explanation of symbols



EMI CODE® EC1 PLUS and EC1R PLUS:
Very low emissions



Suitable for children's toys according to DIN EN 71-3



Connected Systems: System guarantee for LOBA sealing products and oils for Wakol adhesive and levelling compounds



Non-slip according to DIN 51097 evaluation group A



EMICODE® EC1 and EC1R:
Very low emissions



Emissions-tested construction product, Class M1



Emission-tested construction product according to French VOC regulation



Non-slip according to DIN 51097 evaluation group B



EMICODE® EC2 and EC2R:
Low emissions



Emissions-tested Construction product compliant with DIBt principles



Eco-friendly and low-VOC product



Non-slip according to DIN 51130 evaluation group R9



Non-slip according to DIN 51130 evaluation group R10



Non-slip according to DIN 51130 evaluation group R11



Consumption in liters



Container size



Pallet unit



Consumption in grams



Packaging unit

W1	Water-soluble surface treatment agents, solvent-free	4
W2+	Water-soluble surface treatment agents, solvent content up to 5%, N-methylpyrrolidone-free	4
W2/DD+	Water seal with hardener containing isocyanate, solvent content up to 5%, N-methylpyrrolidone-free	4
W3+	Water seal, solvent content up to 15%, N-methylpyrrolidone-free	2
W3/DD+	Water seal with hardener containing isocyanate, solvent content up to 15%, N-methylpyrrolidone-free	2
Ö10+	Oils / waxes, solvent-free, butanonoxime-free	4
Ö10/DD+	Oils / waxes, solvent-free, oxime-free, with hardener containing isocyanate	4
Ö20+	Oils / waxes, low-solvent, de-aromatized, oxime-free	2
Ö40+	Oils / waxes, contains solvents, de-aromatized, oxime-free	1
Ö40/DD+	Oils / waxes, contains solvents, de-aromatized, oxime-free, with hardener containing isocyanate	1
Ö60	Oils / waxes, containing high amounts of solvent (> 15%), de-aromatized	-
GE10	Emulsions / dispersions (contain surfactants)	
GE20	Emulsions / dispersions, contains solvents (5% - 15%)	
GG0	Basic cleaner, other	
GG10	Basic cleaner, solvent-free, not labelled	
GG60	Basic cleaner, irritant, contains solvents, with H-substances (aminoethanol, butyl glycol, ethanediol, N-methylpyrrolidone)	
GG80	Basic cleaner, caustic, contains solvents	
GU40	Maintenance cleaner, solvent-free (contains surfactants)	
GU50	Maintenance cleaner, contains solvents without H-substances	
GU70	Maintenance cleaner, solvent-free, irritant	
GU73	Maintenance cleaner, solvent-free, irritant (including severe eye damage)	
GU83	Maintenance cleaner, contains solvents, irritant (including severe eye damage)	
G1	Basic sealant and wood putty with high solvent content, de-aromatized and free of substances with a low boiling point (solvent content > 15%)	
G2	Basic sealant and wood putty with high solvent content, de-aromatized and containing substances with a low boiling point (solvent content >15%)	

* The DGNB certification for sustainable buildings rates our products using the criterion ENVI.2 Local Environment Impact. Quality level 4 is the highest that can be achieved.

New website features

PRODUCT FILTER

Are you looking for the perfect product for a quote or a special range of use? Simply enter the filter criteria and find what you need!

CONSUMPTION CALCULATOR

Don't worry about the right order quantity - we'll take care of it. Enter the specifications and we'll tell you how much you need for your project!


INSPIRATION & APPLICATION

Are demanding customers or specific tenders posing a challenge for you? You'll find ideas and background information here.

REFERENCES

Are your customers looking for inspiration? You've come to the right place! Let them browse through our references and collect ideas.

Upload your project pictures!





LOBA GmbH & Co. KG
Leonberger Strasse 56-62
71254 Ditzingen Germany
service@loba.de
www.loba.de

Find your LOBA contact:



This catalog was printed
on paper from sustainable
forestry with inks based
on organic oil.



Mitglied der
DGNB
Deutsche Gesellschaft für Nachhaltiges Bauen
German Sustainable Building Council

